


Technical Data Sheet



Light, strong and comfortable helmet.

<p>Specification</p>	<p>Colours: Peak: Size: Options: Accessories: Weight: Corporate Badging: Unique Features: Helmet Accessories Clip: Packaging:</p>	<p>White (W), Green (G), Blue (B), Orange (O), Yellow (Y), Red (R), Black (K) High Visibility Yellow (HVY) and High Visibility Orange (HVO) Full (40mm) or Reduced (20mm) 51-63cm Ventilation (crown and rear), VentPlugs, Full Peak or Reduced Peak, Chinstrap (S30E), Retractable Eye Shield (S579) Compatible with CONNECT range of face and hearing accessories VentPlugs for closing off ventilation (S30VP) 310g (S09), 305g (S08) Front: 85 x 50mm or 25 x 60mm, Sides: 80 x 35mm, Back: 100 x 20mm Internal card holder for identification or medical information (credit card size 54 x 85mm) Use CONNECT accessories clips (S570) supplied with Carriers and Ear Defenders 20 per colour, box size 57.5 x 44.4 x 44.4cm, box weight 7.34kg Code: S09*A (Full Peak) S09*F (Full Peak Vented), S08*A (Reduced Peak) S08*F (Reduced Peak Vented) *Insert Colour code of helmet (ie. W for White)</p>
<p>Materials</p>	<p>Shell: Cradle: Headband: Sweatband:</p>	<p>ABS (Acrylonitrile-Butadiene-Styrene) 6 Point Terylene webbing LDPE (Low Density Polyethylene) Hydro-Flock with 4mm foam</p> 
<p>Standard & Options</p>	<p>Options within EN 397: Options in addition to EN 397:</p>	<p>European Standard - EN 397:1995 ANSI Z89.1-2003 type 1 Class E (unvented shells only) EN 50365 - Electrically insulating helmets for use on low voltage installations 440V a.c. (Electrical Resistance) LD (Lateral Deformation) MM (Molten Metal) -30°C (Low Temperature Performance) 1000V a.c. (Electrical Resistance) 20.000V a.c (Electrical Resistance) Class E within ANSI standard -40°C (Low Temperature Performance) Note: Electrical Resistance and Molten Metal applicable to unvented shells only</p>
<p>Storage/Lifetime</p>	<p><u>Storage:</u> - Can be stored and transported in their original cartons at ambient temperature (0°C to + 30°C) - May be stored in the dark for up to 5 years - Do not store in direct/high heat or sunlight as this may distort the shell <u>Lifetime:</u> - The Centurion helmet has an in-use life of up to 5 years - Excessive wear and tear can considerably reduce the lifespan of the product</p>	
<p>Cleaning</p>	<p>- Clean using warm soapy water and soft cloth - Do not use solvents or abrasives</p>	